



## Electrical capacity: 12V 9Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		8.5AH
Dimension	Length	151±1mm (5.95 inches)
	Width	65±1mm (2.56 inches)
	Container Height	94.5±1mm (3.72 inches)
	Total Height (with Terminal)	100±1mm (3.94 inches)
Weight		Approx 2.75kg (6.06lbs)
Standard Terminal		T2 or T1(standard)

## Electrical capacity: 12V 12Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		14AH
Dimension	Length	151±1mm (5.95 inches)
	Width	98±1mm (3.86 inches)
	Container Height	95±1mm (3.74 inches)
	Total Height (with Terminal)	101±1mm (3.98 inches)
Weight		Approx 4.05kg (8.93lbs)
Standard Terminal		T2 or T1(standard)

## Electrical capacity: 12V 17Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		18AH
Dimension	Length	181.5±1mm (7.14 inches)
	Width	77 ±1mm (3.03 inches)
	Container Height	167.5±1mm (6.59inches)
	Total Height (with Terminal)	167.5±1mm (6.59inches)
Weight		Approx 5.70kg (12.57lbs)
Standard Terminal		T3/T12(standard)

## Electrical capacity: 12V 26Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		27AH
Dimension	Length	175±1mm (6.89 inches)
	Width	166.5±1mm (6.56 inches)
	Container Height	125±1mm (4.92 inches)
	Total Height (with Terminal)	125±1mm (4.92 inches)
Weight		Approx 8.60kg (19.0lbs)
Standard Terminal		T3/T12(standard)

ห้างหุ้นส่วนเอ็นจีเนียโอ

สำนักงาน: 199/586 หมู่ 9 ต.สันผีเสื้อ อ.เมือง จ.เชียงใหม่ 50300 โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

อีเมล: [engineothailand@hotmail.com](mailto:engineothailand@hotmail.com) เว็บไซต์: [www.engineo.co.th](http://www.engineo.co.th)



Electrical capacity: 12V 33Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		35AH
Dimension	Length	195 $\pm$ 2mm (7.68 inches)
	Width	130 $\pm$ 2mm (5.12 inches)
	Container Height	164 $\pm$ 2mm (6.46 inches)
	Total Height (with Terminal)	180 $\pm$ 2mm (7.09 inches)
Weight		Approx 11.2kg (24.71lbs)
Standard Terminal		T5/T6/T12

Electrical capacity: 12V 45Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		42AH
Dimension	Length	197 $\pm$ 2mm (7.76 inches)
	Width	165 $\pm$ 2mm (6.50 inches)
	Container Height	170 $\pm$ 2mm (6.69 inches)
	Total Height (with Terminal)	170 $\pm$ 2mm (6.69 inches)
Weight		Approx 14.5kg (32.0lbs)
Standard Terminal		Threaded Insert 6mm STUD

Electrical capacity: 12V 65Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		65AH
Dimension	Length	348 $\pm$ 3mm (13.70 inches)
	Width	167 $\pm$ 2mm (6.57 inches)
	Container Height	178 $\pm$ 2mm (7.01 inches)
	Total Height (with Terminal)	178 $\pm$ 2mm (7.01 inches)
Weight		Approx 22.2kg (48.98lbs)
Standard Terminal		Threaded Insert 8mm STUD

ห้างหุ้นส่วนเอ็นจิเนโอ

สำนักงาน: 199/586 หมู่ 9 ต.สันผีเสื้อ อ.เมือง จ.เชียงใหม่ 50300 โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

อีเมล: [engineothailand@hotmail.com](mailto:engineothailand@hotmail.com) เว็บไซต์: [www.engineo.co.th](http://www.engineo.co.th)



Electrical capacity: 12V 75Ah



Nominal Voltage		12V	12V
Nominal Capacity (20HR)		103AH	75AH(H)
Dimension	Length	348 3mm (13.70 inches)	259±2mm (10.20 inches)
	Width	167 2mm (6.57 inches)	168±2mm (6.61 inches)
	Container Height	178 2mm (7.01 inches)	210±2mm (8.27 inches)
	Total Height (with Cover)	178 2mm (7.01 inches)	216±2mm (9.06 inches)
Weight		Approx 32kg (70.6lbs)	Approx 25.0kg (55.1 lbs)
Standard Terminal		Threaded Insert 8mm STUD	T6/T9/T14

Electrical capacity: 12V 90Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		103AH
Dimension	Length	330±3mm (12.99 inches)
	Width	173±2mm (6.81 inches)
	Container Height	212±2mm (8.35 inches)
	Total Height (with Terminal)	220±2mm (8.66 inches)
Weight		Approx 32kg (70.6lbs)
Standard Terminal		Threaded Insert 8mm STUD

Electrical capacity: 12V 100Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		103AH
Dimension	Length	330±3mm (12.99 inches)
	Width	173±2mm (6.81 inches)
	Container Height	212±2mm (8.35 inches)
	Total Height (with Terminal)	220±2mm (8.66 inches)
Weight		Approx 32kg (70.6lbs)
Standard Terminal		Threaded Insert 8mm STUD

ห้างหุ้นส่วนเอ็นจีเนโอ

สำนักงาน: 199/586 หมู่ 9 ต.สันมีเสื่อ อ.เมือง จ.เชียงใหม่ 50300 โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

อีเมล: [engineothailand@hotmail.com](mailto:engineothailand@hotmail.com) เว็บไซต์: [www.engineo.co.th](http://www.engineo.co.th)



Electrical capacity: 12V 120Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		124AH
Dimension	Length	410 $\pm$ 3mm (16.14 inches)
	Width	177 $\pm$ 2mm (6.97 inches)
	Container Height	225 $\pm$ 2mm (8.86 inches)
	Total Height (with Terminal)	225 $\pm$ 2mm (8.86 inches)
Weight		Approx 35.5kg (78.2lbs)
Standard Terminal		Threaded Insert 8mm STUD

Electrical capacity: 12V 200Ah



Nominal Voltage		12V
Nominal Capacity (20HR)		210AH
Dimension	Length	522 $\pm$ 3mm (20.55 inches)
	Width	240 $\pm$ 2mm (9.45 inches)
	Container Height	218 $\pm$ 2mm (8.58 inches)
	Total Height (with Terminal)	224 $\pm$ 2mm (8.81 inches)
Weight		Approx 64kg (141.2lbs)
Standard Terminal		Threaded Insert 11mm STUD

ห้างหุ้นส่วนเอ็นจีโอ

สำนักงาน: 199/586 หมู่ 9 ต.สันผีเสื้อ อ.เมือง จ.เชียงใหม่ 50300 โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

โทร. 053-222760, 086-6736880, 082-0339790 แฟกซ์ 053-222570

อีเมล: [engineothailand@hotmail.com](mailto:engineothailand@hotmail.com) เว็บไซต์: [www.engineo.co.th](http://www.engineo.co.th)